ELSEVIER

Engineering Geology 56 (2000) 405–406

ENGINEERING GEOLOGY

www.elsevier.nl/locate/enggeo

Author Index Volume 56

Abderahman, N.S., see Al-Sheriadeh, M.S. 361
Al-Hamdan, A., see Al-Sheriadeh, M.S. 361
Al-Shayea, N.A.
Inherent heterogeneity of sediments in Dhahran, Saudi Arabia — a case study 305
Al-Sheriadeh, M., see Husein Malkawi, A.I. 335
Al-Sheriadeh, M.S., Husein Malkawi, A.I., Al-Hamdan, A. and Abderahman, N.S.
Evaluating sediment yield at King Talal Reservoir from landslides along Irbid–Amman Highway 361
Amano, K., see Yoshida, H. 151
Aoki, K., see Yoshida, H. 151
Arndt, R., see Mauritsch, H.J. 373
Asai, K., see Sasaki, Y. 163

Barosh, P.J.
Frostquakes in New England 389
Budetta, P., Galietta, G. and Santo, A.
A methodology for the study of the relation between coastal cliff erosion and the mechanical strength of soils and rock masses 243
Buluş, G., see Kayabalı, K. 293

Cetin, H., Laman, M. and Ertunç, A.
Settlement and slaking problems in the world's fourth largest rock-fill dam, the Ataturk Dam in Turkey 225
Chen, Y., Nishiyama, T., Terada, M. and Iwamoto, Y.
A fluorescent approach to the identification of grout injected into fissures and pore spaces 395

Dekayir, A. and El Maâtaoui, M.
Apport de l'analyse d'images dans l'étude de l'altération d'un basalte alcalin (Moyen Atlas, Maroc). Contribution of image analysis to the study of weathering process in alkaline basalt (Middle Atlas, Morocco) 325
Doe, T.W., see Takahara, H. 75
Doe, T.W., see Sawada, A. 75

Ehlers, C., see Selonen, O. 275
El Maâtaoui, M., see Dekayir, A. 325
Ertunç, A., see Cetin, H. 225

Fujii, A., see Sasaki, Y. 163
Fujimitsu, Y., see Suzuki, K. 29
Furumoto, Y., see Sugito, M. 137

Galietta, G., see Budetta, P. 243
Gupta, A.S. and Seshagiri Rao, K.
Weathering effects on the strength and deformational behaviour of crystalline rocks under uniaxial compression state 257

Hama, K., see Yoshida, H. 151
Hirata, Y., see Miyakawa, K. 19
Husein Malkawi, A.I. and Al-Sheriadeh, M.
Evaluation and rehabilitation of dam seepage problems. A case study: Kafrein dam 335
Husein Malkawi, A.I., see Al-Sheriadeh, M.S. 361

Ishida, T. and Uchita, Y.
Strain monitoring of borehole diameter changes in heterogeneous jointed wall rock with chamber excavation; estimation of stress redistribution 63
Iwamoto, Y., see Chen, Y. 395

Jomori, A., see Suzuki, K. 29

Kanaori, Y.
Seismic risk assessment of an active fault system: the example of the Tsurugawan–Isewan tectonic line 109
Kanauchi, M., see Miyakawa, K. 19
Kaneko, K., see Shidahara, T. 125
Kato, T., see Ueta, K. 197
Kawamura, M., see Yoshida, H. 151
Kayabalı, K. and Buluş, G.
The usability of bottom ash as an engineering material when amended with different matrices 293
Kikuchi, T., see Sato, T. 97
Kitahara, H., see Okura, Y. 347
Koide, K., see Mikake, S. 185
Kusunoki, K., see Suzuki, K. 29

Laman, M., see Cetin, H. 225
Luodes, H., see Selonen, O. 275

Maekawa, K., see Mikake, S. 185
Mauritsch, H.J., Seiberl, W., Arndt, R., Römer, A., Schneiderbauer, K. and Sendlhofer, G.P.
Geophysical investigations of large landslides in the Carnic Region of southern Austria 373
Mikake, S., Yoshida, H., Koide, K., Maekawa, K., Ogata, N. and Yanagizawa, K.
Methodology development for modeling heterogeneous con-

0013-7952/00/$ – see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0013-7952(00)00033-8

ductivity fields for a sandstone type uranium deposit, central Japan 185
Miyakawa, K., Tanaka, K., Hirata, Y. and Kanauchi, M.
Detection of hydraulic pathways in fractured rock masses and estimation of conductivity by a newly developed TV equipped flowmeter 19
Mogi, T., see Suzuki, K. 29
Muraoka, H., see Ohtani, T. 1

Nakagawa, K., see Shidahara, T. 125
Nakashima, Y., see Ohtani, T. 1
Nakashima, Y.
The use of X-ray CT to measure diffusion coefficients of heavy ions in water-saturated porous media 11
Niitsuma, H., see Tezuka, K. 47
Nishiyama, T., see Chen, Y. 395
Nozaki, A., see Shidahara, T. 125

Ogata, N., see Mikake, S. 185
Ohtani, T., Nakashima, Y. and Muraoka, H.
Three-dimensional miarolitic cavity distribution in the Kakkonda granite from borehole WD-1a using X-ray computerized tomography 1
Oka, F., see Sugito, M. 137
Okura, Y., Kitahara, H. and Sammori, T.
Fluidization in dry landslides 347
Ota, K., see Yoshida, H. 151
Oyama, T., see Shidahara, T. 125

Römer, A., see Mauritsch, H.J. 373

Sammori, T., see Okura, Y. 347
Santo, A., see Budetta, P. 243
Sasaki, Y., Fujii, A. and Asai, K.
Soil creep process and its role in debris slide generation — field measurements on the north side of Tsukuba Mountain in Japan 163
Sato, T., Kikuchi, T. and Sugihara, K.
In-situ experiments on an excavation disturbed zone induced by mechanical excavation in Neogene sedimentary rock at Tono mine, central Japan 97
Sawada, A., see Takahara, H. 75
Sawada, A., Uchida, M., Shimo, M. and Yamamoto, H.
Non-sorbing tracer migration experiments in fractured rock at the Kamaishi Mine, Northeast Japan 75
Schneiderbauer, K., see Mauritsch, H.J. 373
Seiberl, W., see Mauritsch, H.J. 373
Selonen, O., Luodes, H. and Ehlers, C.
Exploration for dimensional stone — implications and examples from the Precambrian of southern Finland 275
Semba, T., see Yoshida, H. 151
Sendlhofer, G.P., see Mauritsch, H.J. 373
Seshagiri Rao, K., see Gupta, A.S. 257
Shidahara, T., Oyama, T., Nakagawa, K., Kaneko, K. and Nozaki, A.
Geotechnical evaluation of a conglomerate for compressed air energy storage: the influence of the sedimentary cycle and filling minerals in the rock matrix. 125
Shimo, M., see Takahara, H. 75
Shimo, M., see Sawada, A. 75
Sugihara, K., see Sato, T. 97
Sugito, M., Oka, F., Yashima, A., Furumoto, Y. and Yamada, K.
Time-dependent ground motion amplification characteristics at reclaimed land after the 1995 Hyogoken Nambu Earthquake 137
Suzuki, K., Toda, S., Kusunoki, K., Fujimitsu, Y., Mogi, T. and Jomori, A.
Case studies of electrical and electromagnetic methods applied to mapping active faults beneath the thick quaternary 29

Takahara, H. and Doe, T.W.
Non-sorbing tracer migration experiments in fractured rock at the Kamaishi Mine, Northeast Japan 75
Takahara, H., see Sawada, A. 75
Tanaka, K., see Miyakawa, K. 19
Tani, K., see Ueta, K. 197
Terada, M., see Chen, Y. 395
Tezuka, K. and Niitsuma, H.
Stress estimated using microseismic clusters and its relationship to the fracture system of the Hijiori hot dry rock reservoir 47
Toda, S., see Suzuki, K. 29
Tsubota, K., see Yoshida, H. 151

Uchida, M., see Takahara, H. 75
Uchida, M., see Sawada, A. 75
Uchita, Y., see Ishida, T. 63
Ueta, K., Tani, K. and Kato, T.
Computerized X-ray tomography analysis of three-dimensional fault geometries in basement-induced wrench faulting 197

Wakizaka, Y.
Alkali–silica reactivity of Japanese rocks 211

Yamada, K., see Sugito, M. 137
Yamamoto, H., see Takahara, H. 75
Yamamoto, H., see Sawada, A. 75
Yanagizawa, K., see Mikake, S. 185
Yashima, A., see Sugito, M. 137
Yoshida, H., Aoki, K., Semba, T., Ota, K., Amano, K., Hama, K., Kawamura, M. and Tsubota, K.
Overview of the stability and barrier functions of the granitic geosphere at the Kamaishi Mine: relevance to radioactive waste disposal in Japan 151
Yoshida, H., see Mikake, S. 185

ELSEVIER

Engineering Geology 56 (2000) 407–408

ENGINEERING GEOLOGY

www.elsevier.nl/locate/enggeo

Subject Index Volume 56

Active fault, 29
Active fault system, 109
Alkali–silica reaction, 211
Analysis, 335
Array observation, 137
Ataturk Dam, 225

Boom header, 97
Borehole records, 137
Borehole television system, 395
Borehole TV, 19
Bottom ash, 293
Building stone, 275

Cliff erosion, 243
Compaction, 225, 293
Compressive strength, 243
Concrete structure, 211
Conglomerate, 125
Consolidation, 225
Construction fill, 293
Construction materials, 305
Cryoseism, 389
CSAMT method, 29

Dam, 335, 395
dc resistivity method, 29
Debris flow, 373
Debris slide, 163
Deformability, 257
Diffusion, 11
Dimension stone, 275
Doublet, 47

Earthquake-proof design, 109
Excavation disturbed zone, 97
Excitation response, 335
Experimental studies, 347
Exploration, 275

Filling mineral, 125
Finland, 275
Fissure, 395
Flowmeter, 19
Fluidization, 347
Fluorescent approach, 395

Focal mechanism, 47
Fracture, 47
Fractured rock, 75
Frostquake, 389

Geomechanical classifications, 243
Geophysical investigation, 373
Geotechnical evaluation, 125
Granite, 1, 275
Granitic geosphere, 151
Grouting, 395

Heavy element, 11
Heterogeneous jointed rock, 63
Heterogeneous materials, 305
Hijiori, 47
Hot Dry Rock, 47
Hydraulic conductivity, 19, 293
Hydraulic pathway, 19
Hydrogeology, 125

India, 257
Inland earthquake, 109
In situ measurement, 63

Japan, 185
Jordan, 361

Kafrein, 335
Kakkonda geothermal field, 1
Kamaishi Mine, 151
King Talal Reservoir, 361

Landslide, 163, 347, 373
Landslide mechanism, 373
Landslides, 361
Liquefaction, 137

Mass movement, 163
Mechanical excavation, 97
Miarolitic cavity, 1
Microseismic, 47
Migration, 75
Mineral composition, 305
Multiplet, 47

0013-7952/00/$ – see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0013-7952(00)00034-X

Naturally cemented sand, 305
Non-destructive imaging, 11
Non-linear ground motion amplification, 137
Numerical simulation, 347

Palaeocoic, 373
Physical models, 347
Pore space, 395
Precambrian, 275

Radioactive waste disposal in Japan, 151
Reactive mineral, 211
Reclaimed land, 137
Rehabilitation, 335
Reidel shears, 197
Reservoir silting, 361
Resistivity tomography, 29
Risk assessment, 109
Rock fall, 373
Rock mechanics, 63

Sandbox experiments, 197
Sandstone, 185
Sedimentary cycle, 125
Sedimentary rocks, 305
Sediment yield, 361
Seepage, 335
Seismic moment, 109
Seismotectonic studies, 389
Sensitivity analysis, 347
Settlement, 225
Site characterization, 305
Slaking, 225
Slope failure, 163
Soil creep, 163
Soil memory, 225
Southeastern Anatolian Project (GAP), 225
Southern Alps, 373
Southern Italy, 243
Stability and barrier functions, 151
Strain monitoring, 63
Stress, 47
Stress redistribution, 63

Tensional fracturing, 389
Trenches, 197
Two-dimensional resistivity inversion, 29

Underground openings, 63
Uniaxial compressive strength, 257
Uranium, 185

Vibratory hammer test, 293

Waste disposal, 11
Wave climate, 243
Weathered rocks, 257
Wrench faulting, 197

X-ray computerized tomography, 1, 197
X-ray CT, 11
X-ray diffraction, 257